

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| S1    | 3    | Kortes-J.IN.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>15:42 |
| S2    | 15   | Noordam-B.IN.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>15:43 |
| S3    | 2    | Noordam-B.IN. AND mouthfeel   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>15:44 |
| S4    | 13   | "4303680"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>16:59 |
| S5    | 2    | S4 AND (ribonucleotide nucleotide)<br>SAME (percent weight content)                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>17:00 |
| S6    | 153  | (yeast WITH extract) SAME<br>(ribonucleotide nucleotide) SAME<br>(percent weight content)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>17:04 |
| S7    | 66   | (yeast WITH extract) SAME<br>((ribonucleotide nucleotide) WITH<br>(percent weight content)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>17:04 |
| S8    | 9    | ("4303680").URPN.   | USPAT   | OR               | ON      | 2008/09/29<br>17:28 |
| S9    | 5    | S8 AND ratio  | USPAT   | OR               | ON      | 2008/09/29<br>17:28 |
| S10   | 5    | S8 AND ratio  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/29<br>17:28 |

|     |       |  |   |    |     |                     |
|-----|-------|--|---|----|-----|---------------------|
| S11 | 13    | "4303680"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:29 |
| S12 | 0     | S11 AND (ribonucleotide nucleotide)<br>SAME (percent weight content) SAME<br>ratio   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:29 |
| S13 | 3     | S11 AND (ribonucleotide nucleotide)<br>AND (percent weight content) AND<br>ratio   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:29 |
| S14 | 21    | (yeast WITH extract) AND<br>((ribonucleotide nucleotide) SAME<br>(percent weight content) SAME<br>protein SAME ratio)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:30 |
| S15 | 3675  | (yeast WITH extract) AND<br>((ribonucleotide nucleotide) SAME<br>("%" "w/w"))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:32 |
| S16 | 54    | (yeast WITH extract) SAME<br>((ribonucleotide nucleotide) SAME<br>("%" "w/w"))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:32 |
| S17 | 3     | (yeast WITH extract) AND<br>((ribonucleotide nucleotide) SAME<br>("%" "w/w")) SAME protein SAME<br>hydrolysis)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/09/29<br>17:35 |
| S18 | 10345 | ((435/89) or (435/90) or (435/91) or<br>(435/174) or (435/177) or (435/180)<br>or (260/112R) or (426/60) or<br>(426/656) or (426/537) or (426/534)<br>or (435/89) or (435/255) or<br>(435/256) or (435/259) or (435/267)<br>or (435/272) or (435/270)).CCLS. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/09/30<br>08:21 |
| S19 | 826   | (426/534).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/09/30<br>08:22 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S20 | 17  | S18 AND (yeast AND umami AND nucleotide)                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:22 |
| S21 | 14  | S18 AND (yeast AND (concentrated WITH nucleotide))            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:23 |
| S22 | 122 | S18 AND (yeast AND ((concentrated high) WITH nucleotide))     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:23 |
| S23 | 5   | S18 AND (yeast AND ((concentrated high) WITH ribonucleotide)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:23 |
| S24 | 2   | S18 AND (yeast AND maxarome)                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:25 |
| S25 | 2   | S18 AND maxarome  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:25 |
| S26 | 4   | S18 AND (high WITH nucleotide WITH extract)                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:26 |
| S27 | 163 | S18 AND (high WITH nucleotide)                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:27 |
| S28 | 9   | S18 AND (high WITH nucleotide) SAME extract                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:27 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S29 | 17  | S18 AND ((high increased elevated concentrated) WITH nucleotide) SAME extract   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:27 |
| S30 | 100 | (US-20060188625-\$ or US-20060078972-\$ or US-20050042349-\$ or US-20080166467-\$ or US-20030031761-\$ or US-20040018223-\$ or US-20040156882-\$ or US-20060134305-\$ or US-20040071852-\$ or US-20040166203-\$ or US-20050064068-\$ or US-20050255126-\$ or US-20060222740-\$ or US-20080020098-\$ or US-20080063781-\$ or US-20030138521-\$ or US-20020081357-\$).did. or (US-4448791-\$ or US-6365176-\$ or US-6258389-\$ or US-6352732-\$ or US-6403144-\$ or US-5188851-\$ or US-5296370-\$ or US-6294360-\$ or US-6399089-\$ or US-7390521-\$ or US-4600587-\$ or US-4798733-\$ or US-4294857-\$ or US-4859473-\$ or US-4900577-\$ or US-5543163-\$ or US-6376005-\$ or US-6753026-\$ or US-6001399-\$ or US-4937086-\$ or US-5904944-\$ or US-6106879-\$ or US-5462755-\$ or US-5643621-\$ or US-5288509-\$ or US-4806376-\$).did. or (US-5756135-\$ or US-5888569-\$ or US-4110483-\$ or US-6077550-\$ or US-6228418-\$ or US-6372460-\$ or US-7108873-\$ or US-6159529-\$ or US-5728851-\$ or US-5238694-\$ or US-5955124-\$ or US-6007851-\$ or US-6190709-\$ or US-4571342-\$ or US-4851234-\$ or US-5698244-\$ or US-5945152-\$ or US-RE36355-\$ or US-6177108-\$ or US-3843808-\$ or US-3810997-\$ or US-4137336-\$ or US-4086367-\$ or US-4100308-\$ or US-4410551-\$ or US-4414237-\$ or US-4946693-\$).did. or (US-5277925-\$ or US-5405836-\$ or US-5441751-\$ or US-5447739-\$ or US-5480657-\$ or US-5480671-\$ or US-5505977-\$ or US-5662956-\$ or US-5695797-\$ or US-5895671-\$ or US-5908655-\$ or US-6007858-\$ or US-6013292-\$ or US-6039997-\$ or US-6080419-\$ or US-6126977-\$ or US-6322826-\$ or US-6367433-\$ or US-6395315-\$ or US-6413562-\$ or US-6436453-\$ or US-6468568-\$ or US-6468569-\$ or US-6475753-\$ or US-7220442-\$ or US-5188852-\$ or US-6251443-\$).did. or (US-6383533-\$ or US-7108884-\$ or US-4568557-\$).did. | US-PGPUB;<br>USPAT  | OR | ON | 2008/09/30<br>08:30 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S31 | 1   | S30 AND ((high increased elevated concentrated) WITH nucleotide) SAME extract | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:30 |
| S32 | 5   | S30 AND nucleotide SAME extract   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:34 |
| S33 | 0   | biospringer.AS.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:46 |
| S34 | 108 | lesaffre.AS.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:46 |
| S35 | 80  | lesaffre.AS. AND yeast  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:46 |
| S36 | 8   | lesaffre.AS. AND yeast AND nucleotide   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:46 |
| S37 | 110 | lesaffre.AS. AND nucleotide   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:47 |
| S38 | 9   | lesaffre.AS. AND nucleotide   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:47 |
| S39 | 2   | lesaffre.AS. AND (rich WITH nucleotide)                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:56 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S40 | 17 | S18 AND (rich WITH nucleotide)                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>08:56 |
| S41 | 5  | ("4810509").URPN.   | USPAT   | OR | ON | 2008/09/30<br>08:58 |
| S42 | 6  | "4,810,509"   | USPAT   | OR | ON | 2008/09/30<br>09:00 |
| S43 | 5  | ("4810509").URPN.   | USPAT   | OR | ON | 2008/09/30<br>09:03 |
| S44 | 20 | "3686392"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:06 |
| S45 | 10 | "3686392" AND nucleotide  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:07 |
| S46 | 36 | ("4758553").URPN.   | USPAT   | OR | ON | 2008/09/30<br>09:07 |
| S47 | 18 | ("biospringer" bio\$1springer)                                  | USPAT   | OR | ON | 2008/09/30<br>09:09 |
| S48 | 12 | ("biospringer" bio\$1springer) AND nucleotide                   | USPAT   | OR | ON | 2008/09/30<br>09:11 |
| S49 | 4  | ("5626894").URPN.   | USPAT   | OR | ON | 2008/09/30<br>09:12 |
| S50 | 2  | S18 AND (nucleotide WITH rich) SAME (yeast extract)             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:14 |
| S51 | 2  | "20050025877"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:23 |
| S52 | 2  | WO-2004067758-A\$.D1D.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:25 |
| S53 | 11 | ("4303680"   "4374981"   "4623723"   "4810509"   "5288509").PN. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:32 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S54 | 2   | EP-1587947-A\$.D.I.D.  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:35 |
| S55 | 2   | ("4741914").FN.  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:38 |
| S56 | 299 | (yeast extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP<br>guanine guanosine) NEAR10 (rich<br>improved greater concentrated<br>elevated increased more larger)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:40 |
| S57 | 22  | (yeast WITH extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP<br>guanine guanosine) NEAR10 (rich<br>improved greater concentrated<br>elevated increased more larger)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:41 |
| S58 | 22  | (yeast WITH extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP<br>guanine guanosine) NEAR10<br>(saturated rich improved greater<br>concentrated elevated increased<br>more larger)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:49 |
| S59 | 22  | (yeast WITH extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP<br>guanine guanosine) NEAR10<br>(saturate saturated rich improved<br>greater concentrated elevated<br>increased more larger)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:49 |
| S60 | 86  | (yeast NEAR3 extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP<br>nucleotide "5'-nucleotide") NEAR10<br>(saturate saturated rich improved<br>greater concentrated elevated<br>increased more larger)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:50 |
| S61 | 119 | (yeast NEAR3 extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP inosi<br>\$5 nucleotide "5'-nucleotide")<br>NEAR10 (saturate saturated rich<br>improved greater concentrated<br>elevated increased more larger)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:51 |
| S62 | 13  | (yeast NEAR3 extract) SAME<br>(\$4ribonucleotide \$4GMP \$4IMP inosi<br>\$5 nucleotide "5'-nucleotide")<br>NEAR10 (saturate saturated rich<br>improved greater concentrated<br>elevated increased more larger) AND<br>(fat\$1free (reduced NEAR3 fat) low<br>\$1fat (fat NEAR3 free) (low NEAR3<br>fat)) | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:52 |

|     |    |  |   |    |    |                     |
|-----|----|--|---|----|----|---------------------|
| S63 | 14 | lesaffre.AS. AND yeast ADJ extract   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:53 |
| S64 | 0  | lesaffre.AS. AND yeast ADJ extract<br>NEAR2 "2006"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:54 |
| S65 | 2  | lesaffre.AS. AND yeast ADJ extract<br>NEAR10 nucleotide  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:54 |
| S66 | 6  | lesaffre.AS. AND yeast ADJ extract<br>AND (\$4ribonucleotide \$4GMP \$4IMP<br>inosi\$5 nucleotide "5'-nucleotide") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>09:54 |
| S67 | 0  | "009276" AND bowles.IN.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:02 |
| S68 | 5  | "6190709"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:21 |
| S69 | 2  | "7390521"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:22 |
| S70 | 0  | "016708"   | EPO   | OR | ON | 2008/09/30<br>10:29 |
| S71 | 1  | "1016708"  | EPO   | OR | ON | 2008/09/30<br>10:29 |
| S72 | 0  | "0354610"  | EPO   | OR | ON | 2008/09/30<br>10:30 |
| S73 | 1  | "354610"   | EPO   | OR | ON | 2008/09/30<br>10:31 |
| S74 | 1  | "418616"   | EPO   | OR | ON | 2008/09/30<br>10:31 |



|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S75 | 0   | GB-110756-A.DID.   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:32 |
| S76 | 0   | GB-110756.DID.   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:32 |
| S77 | 11  | maxarome   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:39 |
| S78 | 0   | DSM.AS. AND "high 5" nucleotide"   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:47 |
| S79 | 314 | DSM.AS. AND yeast  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:48 |
| S80 | 98  | DSM.AS. AND yeast AND nucleotide   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:48 |
| S81 | 167 | DSM.AS. AND yeast WITH extract   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:48 |
| S82 | 23  | DSM.AS. AND yeast WITH extract<br>AND (\$4GMP \$4IMP<br>\$4ribonucleotide) | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:48 |
| S83 | 75  | DSM.AS. AND yeast WITH extract<br>AND nucleotide                           | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:56 |

|     |     |                                |   |    |    |                     |
|-----|-----|--------------------------------|---|----|----|---------------------|
| S84 | 4   | DSM.AS. AND maxarome           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>10:58 |
| S85 | 85  | NOORDAM.IN.                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>11:16 |
| S86 | 16  | NOORDAM.IN. AND yeast          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>11:16 |
| S87 | 783 | bel.AS.                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:16 |
| S88 | 14  | bel.AS. AND yeast              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:16 |
| S89 | 0   | "bel industries".AS. AND yeast | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:17 |
| S90 | 0   | WO-2000065926 -A\$.D.I.D.      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:18 |
| S91 | 0   | WO-2000065926-A\$.D.I.D.       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:18 |
| S92 | 0   | WO-00065926-A\$.D.I.D.         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:18 |

|      |    |                              |   |    |    |                     |
|------|----|------------------------------|---|----|----|---------------------|
| S93  | 0  | WO-2000065926-.DID.          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:18 |
| S94  | 0  | WO-2000065926-B\$.DID.       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:18 |
| S95  | 0  | WO-2000065926-A.DID.         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:18 |
| S96  | 39 | zyzak.IN.                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:19 |
| S97  | 4  | zyzak.IN. AND yeast          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:19 |
| S98  | 0  | WO-0065926-A.DID.            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:20 |
| S99  | 0  | "yeast extract 2012"         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:21 |
| S100 | 0  | "yeast extract" NEAR2 "2012" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:21 |
| S101 | 0  | yeast NEAR2 "2012"           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:21 |

|      |     |   |   |    |    |                     |
|------|-----|---|---|----|----|---------------------|
| S102 | 0   | yeast NEAR2 "2020"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:22 |
| S103 | 4   | yeast NEAR2 "2006"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:22 |
| S104 | 0   | EP-0191513-A\$.D.I.D.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:31 |
| S105 | 2   | EP-191513-A\$.D.I.D.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:31 |
| S106 | 2   | EP-351610-A\$.D.I.D.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:33 |
| S107 | 0   | EP-0351610-A\$.D.I.D.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:33 |
| S108 | 2   | EP-354610-A\$.D.I.D.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:33 |
| S109 | 8   | "5288509"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:36 |
| S110 | 208 | (hydrolytic SAME yeast SAME<br>(extract flavourant flavorant flavor)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:44 |

|      |       |   |   |    |    |                     |
|------|-------|---|---|----|----|---------------------|
| S111 | 14    | S18 AND S110  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:44 |
| S112 | 23433 | S110 (nucleotide NEAR10 (rich higher increased content percent "% "w/w"))   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:46 |
| S113 | 5     | S110 AND (nucleotide NEAR10 (rich higher increased content percent "% "w/w"))   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:46 |
| S114 | 5     | ("4810509").URPN.   | USPAT   | OR | ON | 2008/09/30<br>12:47 |
| S115 | 26    | (E635 "disodium 5-ribonucleotide")  | USPAT   | OR | ON | 2008/09/30<br>12:58 |
| S116 | 59    | (E635 "disodium 5-ribonucleotide")  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:58 |
| S117 | 1     | (E635 "disodium 5-ribonucleotide") AND ((reduced NEAR2 fat) (fat NEAR2 free) reduced\$1fat fat\$1free)                                      | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>12:59 |
| S118 | 1     | (E635 "disodium 5-ribonucleotide" (\$2sodium NEAR3 \$4ribonucleotide)) AND ((reduced NEAR2 fat) (fat NEAR2 free) reduced \$1fat fat\$1free) | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:00 |
| S119 | 32    | (E635 "disodium 5-ribonucleotide" (\$2sodium NEAR3 \$4ribonucleotide)) AND yeast  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:01 |
| S120 | 8     | (E635 "disodium 5-ribonucleotide" (\$2sodium NEAR3 \$4ribonucleotide)) SAME yeast   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:03 |

|      |      |   |   |    |    |                     |
|------|------|---|---|----|----|---------------------|
| SI21 | 86   | (yeast NEAR3 extract) SAME (\$4ribonucleotide \$4GMP \$4IMP nucleotide "5'-nucleotide" "disodium 5-ribonucleotide" (\$2sodium NEAR3 \$4ribonucleotide)) NEAR10 (saturate saturated rich improved greater concentrated elevated increased more larger)         | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:04 |
| SI22 | 37   | (yeast NEAR3 extract) SAME (\$4ribonucleotide \$4GMP \$4IMP nucleotide "5'-nucleotide" "disodium 5-ribonucleotide" (\$2sodium NEAR3 \$4ribonucleotide)) NEAR10 (saturate saturated rich improved greater concentrated elevated increased more larger) AND fat | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:04 |
| SI23 | 33   | "4,066,793"   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:05 |
| SI24 | 1012 | "4,066,793"vAND "5'-nucleotide"   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:06 |
| SI25 | 16   | "4,066,793" AND "5'-nucleotide"   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:06 |
| SI26 | 24   | "5'-nucleotide" WITH (percent "w/w" "%")  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:07 |
| SI27 | 40   | "5'-nucleotide" SAME (percent "w/w" "%" weight content) SAME yeast  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:08 |
| SI28 | 7    | ("3139385").URFN.   | USPAT   | OR | ON | 2008/09/30<br>13:13 |
| SI29 | 28   | "5'-nucleotide" SAME (percent "w/w" "%" weight content) SAME yeast SAME extract   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:15 |

|      |      |   |   |    |    |                     |
|------|------|---|---|----|----|---------------------|
| S130 | 7    | "5'-nucleotide" SAME (percent "w/w" "%" weight content) SAME (disodium ADJ salt)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:39 |
| S131 | 17   | "5'-nucleotide" SAME (percent "w/w" "%" weight content) AND saccharomyces   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:41 |
| S132 | 4594 | ("5'-nucleotide" \$2nucleotide) SAME (percent "w/w" "%" weight content) AND saccharomyces AND (yeast NEAR2 extract)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:42 |
| S133 | 5034 | ("5'-nucleotide" nucleotide) SAME (percent "w/w" "%" weight content) AND saccharomyces AND (yeast NEAR2 extract)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:43 |
| S134 | 35   | ("5'-nucleotide" \$2nucleotide) SAME (percent "w/w" "%" weight content) AND saccharomyces AND (yeast NEAR2 extract) AND (fat\$1free reduced\$1fat (fat ADJ free) (Reduced ADJ fat) low\$1fat (low ADJ fat)) | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:43 |
| S135 | 28   | ("5'-nucleotide" \$2nucleotide) SAME (percent "w/w" "%" weight content) AND saccharomyces AND (yeast NEAR2 extract) AND S18   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>13:44 |
| S136 | 189  | (GMP IMP UMP) SAME (dry WITH solids)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:06 |
| S137 | 3519 | (\$2GMP \$2IMP \$2UMP) SAME (dry WITH solids)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:06 |
| S138 | 647  | (\$2GMP \$2IMP \$2UMP) SAME (dry WITH solids) SAME (sodium "NaCl")  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:07 |

|      |      |  |   |    |    |                     |
|------|------|--|---|----|----|---------------------|
| S139 | 10   | (\$2GMP \$2IMP \$2UMP) SAME (dry WITH solids) SAME (sodium "NaCl") SAME yeast  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:07 |
| S140 | 14   | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME (dry WITH solids) SAME (sodium "NaCl") SAME yeast   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:08 |
| S141 | 0    | ("2006/0078972").URPN.   | USPAT   | OR | ON | 2008/09/30<br>14:09 |
| S142 | 1652 | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME ((dry WITH (matter solids)) (sodium "NaCl")) SAME yeast   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:10 |
| S143 | 255  | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME weight SAME ((dry WITH (matter solids)) (sodium "NaCl")) SAME yeast                               | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:11 |
| S144 | 4    | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME weight SAME "w/w" SAME ((dry WITH (matter solids)) (sodium "NaCl")) SAME yeast                    | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:11 |
| S145 | 101  | yeast SAME (hydrolyzate hydrolysate) SAME nucleotide   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:12 |
| S146 | 44   | yeast SAME (hydrolyzate hydrolysate) SAME nucleotide SAME (weight content percent "% "w/w")  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:13 |
| S147 | 66   | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME ((dry WITH (matter solids)) (sodium "NaCl")) SAME yeast SAME (hydrolyzate hydrolysate)            | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:16 |
| S148 | 23   | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME ((dry WITH (matter solids)) (sodium "NaCl")) SAME yeast SAME (hydrolyzate hydrolysate) AND flavor | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:16 |



|      |     |  |   |    |    |                     |
|------|-----|--|---|----|----|---------------------|
| S149 | 37  | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME "NaCl content"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:19 |
| S150 | 797 | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME "NaCl" SAME yeast   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:19 |
| S151 | 95  | (\$2GMP \$2IMP \$2UMP nucleotide \$4ribonucleotide) SAME "NaCl" SAME yeast AND (flavor\$3 flavour\$3 umami)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:19 |
| S152 | 100 | (US-20060188625-\$ or US-20060078972-\$ or US-20050042349-\$ or US-20080166467-\$ or US-20030031761-\$ or US-20040018223-\$ or US-20040156882-\$ or US-20060134305-\$ or US-20040071852-\$ or US-20040166203-\$ or US-20050064068-\$ or US-20050255126-\$ or US-20060222740-\$ or US-20080020098-\$ or US-20080063781-\$ or US-20030138521-\$ or US-20020081357-\$).did. or (US-4448791-\$ or US-6365176-\$ or US-6258389-\$ or US-6352732-\$ or US-6403144-\$ or US-5188851-\$ or US-5296370-\$ or US-6294360-\$ or US-6399089-\$ or US-7390521-\$ or US-4600587-\$ or US-4798733-\$ or US-4294857-\$ or US-4859473-\$ or US-4900577-\$ or US-5543163-\$ or US-6376005-\$ or US-6753026-\$ or US-6001399-\$ or US-4937086-\$ or US-5904944-\$ or US-6106879-\$ or US-5462755-\$ or US-5643621-\$ or US-5288509-\$ or US-4806376-\$).did. or (US-5756135-\$ or US-5888569-\$ or US-4110483-\$ or US-6077550-\$ or US-6228418-\$ or US-6372460-\$ or US-7108873-\$ or US-6159529-\$ or US-5728851-\$ or US-5238694-\$ or US-5955124-\$ or US-6007851-\$ or US-6190709-\$ or US-4571342-\$ or US-4851234-\$ or US-5698244-\$ or US-5945152-\$ or US-RE36355-\$ or US-6177108-\$ or US-3843808-\$ or US-3810997-\$ or US-4137336-\$ or US-4086367-\$ or US-4100308-\$ or US-4410551-\$ or US-4414237-\$ or US-4946693-\$).did. or (US-5277925-\$ or US-5405836-\$ or US-5441751-\$ or US-5447739-\$ or US-5480657-\$ or US-5480671-\$ or US-5505977-\$ or | US-PGPUB;<br>USPAT  | OR | ON | 2008/09/30<br>14:20 |

|      |       |  |   |    |    |                     |
|------|-------|--|---|----|----|---------------------|
|      |       | US-5662956-\$ or US-5695797-\$ or US-5895671-\$ or US-5908655-\$ or US-6007858-\$ or US-6013292-\$ or US-6039997-\$ or US-6080419-\$ or US-6126977-\$ or US-6322826-\$ or US-6387433-\$ or US-6395315-\$ or US-6413562-\$ or US-6436453-\$ or US-6468568-\$ or US-6468569-\$ or US-6475753-\$ or US-7220442-\$ or US-5188852-\$ or US-6251443-\$).did. or (US-6383533-\$ or US-7108864-\$ or US-4568557-\$).did. |   |    |    |                     |
| S153 | 5     | S152 AND nucleotide SAME (weight content ratio percent "%" "w/w")  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:21 |
| S154 | 24098 | takeda.AS.   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:23 |
| S155 | 212   | takeda.AS. AND nucleotide AND yeast  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:23 |
| S156 | 135   | takeda.AS. AND nucleotide AND (yeast WITH extract)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:23 |
| S157 | 3     | takeda.AS. AND 5'\$1nucleotide AND (yeast WITH extract)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:23 |
| S158 | 7     | takeda.AS. AND "5'-nucleotide" AND (yeast WITH extract)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:24 |
| S159 | 158   | takeda.AS. AND (\$4ribonucleotide \$4nucleotide) AND (yeast WITH extract)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:25 |

|      |    |  |   |    |    |                     |
|------|----|--|---|----|----|---------------------|
| S160 | 81 | takeda.AS, AND (\$4ribonucleotide \$4nucleotide) AND (yeast WITH extract) AND (flavor\$4 flavour\$4)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>14:25 |
| S161 | 51 | (US-20020081357-\$ or US-20060188625-\$ or US-20080085287-\$ or US-20050054058-\$ or US-20060078972-\$).did. or (US-4303680-\$ or US-4649111-\$ or US-6251443-\$ or US-6403144-\$ or US-4810509-\$ or US-4758553-\$ or US-7214400-\$ or US-4741914-\$ or US-5288509-\$ or US-6190709-\$ or US-6007851-\$ or US-5520936-\$ or US-3652395-\$ or US-4577012-\$ or US-3909352-\$).did. or (US-3104171-\$ or US-3139385-\$ or US-3318710-\$ or US-3573066-\$).did. or (WO-3063614-\$ or WO-3063613-\$ or WO-2004067758-\$ or EP-1016708-\$ or EP-354610-\$ or EP-418616-\$ or EP-191513-\$ or DE-4004633-\$).did. or (JP-2003284528-\$ or JP-2004229540-\$).did. or (WO-2005067734-\$ or WO-2005013723-\$ or WO-2004067758-\$ or WO-03063613-\$ or WO-03063614-\$ or WO-0037671-\$ or WO-0232232-\$ or FR-2905562-\$ or JP-04346748-\$ or WO-03051139-\$ or WO-2008068155-\$ or EP-191513-\$ or EP-354610-\$ or JP-2002101846-\$ or EP-1199353-\$ or JP-2005245438-\$ or JP-2004229540-\$).did. | US-PGRUB;<br>USPAT;<br>USOCR; EPO;<br>JPO; DERWENT                      | OR | ON | 2008/09/30<br>15:12 |
| S162 | 5  | S161 AND (degree percent) WITH (hydrolysis)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>15:13 |
| S163 | 19 | S161 AND (hydrolysis)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>15:13 |
| S164 | 5  | S161 AND (protein ADJ hydrolysis)  | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>15:14 |
| S165 | 10 | S161 AND (protein SAME hydrolysis)   | US-PGRUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>15:14 |

|      |    |   |   |    |    |                     |
|------|----|---|---|----|----|---------------------|
| S166 | 5  | S161 AND hydrolysis SAME extract<br>SAME (percent degree "%") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>15:17 |
| S167 | 32 | "3104171"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/30<br>16:53 |

9/30/2008 4:56:13 PM

C:\Documents and Settings\ainyard\My Documents\EAST\Workspaces\10563320.wsp